


EDELSTAHL 1.4301 VOM BAND FLACH, HL 4 / 6 MTR EN10058/EN10088




mm	mm	4 mtr	6 mtr	kg/mtr	mm	mm	4 mtr	6 mtr	kg/mtr
10,0	3,0	X		0,240	50,0	8,0		X	3,140
15,0	3,0	X		0,353	50,0	10,0		X	3,930
15,0	4,0	X		0,471	50,0	12,0		X	4,710
15,0	5,0	X		0,589	60,0	4,0		X	1,884
15,0	6,0	X		0,707	60,0	5,0		X	2,360
20,0	3,0		X	0,471	60,0	6,0		X	2,830
20,0	4,0		X	0,628	60,0	8,0		X	3,770
20,0	5,0		X	0,785	60,0	10,0		X	4,710
20,0	6,0		X	0,942	60,0	12,0		X	5,700
20,0	8,0		X	1,260	70,0	5,0		X	2,750
20,0	10,0		X	1,570	70,0	6,0		X	3,300
25,0	3,0		X	0,589	70,0	8,0		X	4,400
25,0	4,0		X	0,785	70,0	10,0		X	5,500
25,0	5,0		X	0,981	80,0	5,0		X	3,140
25,0	6,0		X	1,178	80,0	6,0		X	3,770
25,0	8,0		X	1,570	80,0	8,0		X	5,020
25,0	10,0		X	1,963	80,0	10,0		X	6,280
30,0	3,0		X	0,710	80,0	12,0		X	7,540
30,0	4,0		X	0,942	100,0	5,0		X	3,930
30,0	5,0		X	1,177	100,0	6,0		X	4,710
30,0	6,0		X	1,413	100,0	8,0		X	6,280
30,0	8,0		X	1,884	100,0	10,0		X	7,850
30,0	10,0		X	2,355	100,0	12,0	X	X	11,300
35,0	4,0		X	1,100	120,0	5,0		X	4,710
35,0	5,0		X	1,370	120,0	6,0		X	5,650
35,0	6,0		X	1,650	120,0	8,0		X	7,450
35,0	8,0		X	2,200	120,0	10,0		X	9,420
35,0	10,0		X	2,750	120,0	12,0		X	11,300
40,0	3,0		X	0,942	140,0	8,0	X		8,950
40,0	4,0		X	1,260	140,0	10,0	X		11,200
40,0	5,0		X	1,570	150,0	6,0		X	7,200
40,0	6,0		X	1,880	150,0	8,0		X	9,600
40,0	8,0		X	2,510	150,0	10,0		X	12,000
40,0	10,0		X	3,140	160,0	10,0	X		12,560
50,0	3,0		X	1,180	180,0	10,0	X		14,130
50,0	4,0		X	1,570	200,0	8,0		X	12,560
50,0	5,0		X	1,960	200,0	10,0		X	15,700
50,0	6,0		X	2,360	200,0	12,0	X		18,840

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

EDELSTAHL 1.4301 GEWALZT FLACH, HL 6 MTR
EN10058/EN10088

mm	mm	6 mtr	kg/mtr
20,0	12,0	X	1,880
20,0	15,0	X	2,360
25,0	12,0	X	2,355
25,0	15,0	X	2,940
25,0	20,0	X	4,000
30,0	12,0	X	2,826
30,0	15,0	X	3,532
30,0	20,0	X	4,710
30,0	25,0	X	5,900
40,0	12,0	X	3,770
40,0	15,0	X	4,710
40,0	20,0	X	6,280
40,0	25,0	X	7,850
40,0	30,0	X	9,420
50,0	15,0	X	5,890
50,0	20,0	X	7,850
50,0	25,0	X	9,810
50,0	30,0	X	11,800


mm	mm	6 mtr	kg/mtr
60,0	15,0	X	7,070
60,0	20,0	X	9,420
60,0	30,0	X	14,100
60,0	40,0	X	18,840
80,0	15,0	X	9,420
80,0	20,0	X	12,600
80,0	25,0	X	15,700
80,0	30,0	X	18,800
80,0	40,0	X	25,120
100,0	15,0	X	11,800
100,0	20,0	X	15,700
100,0	25,0	X	19,600
100,0	30,0	X	23,600
100,0	40,0	X	31,400
120,0	15,0	X	14,100
120,0	20,0	X	18,800



EDELSTAHL 1.4301 GESCHLIFFEN K240 FLACH, HL 4 / 6 MTR
EN10058/EN10088


mm	mm	4 mtr	6 mtr	kg/mtr
20,0	5,0		X	0,790
20,0	6,0		X	0,940
20,0	8,0		X	1,260
20,0	10,0		X	1,570
25,0	5,0		X	0,980
25,0	6,0		X	1,180
25,0	8,0		X	1,570
25,0	10,0		X	1,960
30,0	4,0			0,942
30,0	5,0		X	1,180
30,0	6,0		X	1,413
30,0	8,0		X	1,884
30,0	10,0		X	2,360
30,0	12,0		X	2,830
40,0	4,0		X	1,260
40,0	5,0		X	1,570
40,0	6,0		X	1,880
40,0	8,0		X	2,510
40,0	10,0		X	3,140
40,0	12,0		X	3,770
40,0	15,0		X	4,710
50,0	5,0		X	1,960
50,0	6,0		X	2,360
50,0	8,0		X	3,140

mm	mm	4 mtr	6 mtr	kg/mtr
50,0	10,0		X	3,930
50,0	12,0		X	4,710
50,0	15,0		X	5,890
60,0	5,0		X	2,360
60,0	6,0		X	2,830
60,0	8,0		X	3,770
60,0	10,0		X	4,720
60,0	12,0		X	5,650
60,0	15,0		X	7,070
80,0	5,0		X	3,140
80,0	6,0		X	3,770
80,0	8,0		X	5,020
80,0	10,0		X	6,300
100,0	5,0		X	3,930
100,0	6,0		X	4,710
100,0	8,0		X	6,280
100,0	10,0		X	7,850
120,0	8,0		X	7,450
120,0	10,0		X	9,420
140,0	8,0		X	8,900
140,0	10,0		X	11,200
150,0	8,0		X	9,600
150,0	8,0		X	9,600
150,0	10,0		X	12,000



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

EDELSTAHL 1.4301 GEZOGEN FLACH EN10278/EN10088




mm	mm	3 mtr	kg/mtr	mm	mm	3 mtr	kg/mtr
10,0	5,0	X	0,400	50,0	5,0	X	1,960
15,0	6,0	X	0,707	50,0	6,0	X	2,360
15,0	8,0	X	0,960	50,0	8,0	X	3,140
15,0	10,0	X	1,180	50,0	10,0	X	3,930
15,0	12,0	X	1,413	50,0	12,0	X	4,710
20,0	5,0	X	0,790	50,0	15,0	X	5,890
20,0	6,0	X	0,940	50,0	20,0	X	7,850
20,0	8,0	X	1,260	50,0	25,0	X	9,810
20,0	10,0	X	1,570	50,0	30,0	X	11,800
20,0	12,0	X	1,880	60,0	5,0	X	2,360
20,0	15,0	X	2,360	60,0	6,0	X	2,830
25,0	5,0	X	0,980	60,0	8,0	X	3,770
25,0	6,0	X	1,180	60,0	10,0	X	4,710
25,0	8,0	X	1,570	60,0	12,0	X	5,650
25,0	10,0	X	1,960	60,0	15,0	X	7,070
25,0	12,0	X	2,360	60,0	20,0	X	9,420
25,0	15,0	X	2,940	60,0	25,0	X	11,780
25,0	20,0	X	3,930	60,0	30,0	X	14,100
30,0	5,0	X	1,180	60,0	40,0	X	18,840
30,0	6,0	X	1,410	70,0	8,0	X	4,400
30,0	8,0	X	1,880	80,0	5,0	X	3,140
30,0	10,0	X	2,360	80,0	6,0	X	3,770
30,0	12,0	X	2,830	80,0	8,0	X	5,020
30,0	15,0	X	3,532	80,0	10,0	X	6,280
30,0	20,0	X	4,710	80,0	15,0	X	9,420
30,0	25,0	X	5,890	80,0	20,0	X	12,560
40,0	5,0	X	1,570	80,0	30,0	X	18,800
40,0	6,0	X	1,880	80,0	40,0	X	25,120
40,0	8,0	X	2,510	100,0	6,0	X	4,710
40,0	10,0	X	3,140	100,0	8,0	X	6,280
40,0	12,0	X	3,770	100,0	10,0	X	7,850
40,0	15,0	X	4,710	100,0	12,0	X	9,420
40,0	20,0	X	6,280	100,0	15,0	X	11,780
40,0	25,0	X	7,850	100,0	20,0	X	15,700
40,0	30,0	X	9,420	100,0	30,0	X	23,600

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


EDELSTAHL 1.4301 GEZOGEN RUND
EN10278/EN10088

mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
2,0	X		0,030	28,0	X		4,834
3,0	X		0,055	30,0	X		5,549
4,0	X		0,099	32,0	X		6,310
5,0	X		0,154	33,0	X		6,710
6,0	X		0,222	35,0	X		7,553
8,0	X	X	0,400	40,0	X		9,865
10,0	X	X	0,617	42,0	X		10,880
12,0	X	X	0,888	45,0	X		12,490
14,0	X	X	1,208	50,0	X		15,414
15,0	X	X	1,387	55,0	X		18,700
16,0	X	X	1,580	60,0	X		22,195
18,0	X		1,998	65,0	X		26,100
20,0	X	X	2,470	70,0	X		30,210
22,0	X		2,984	80,0	X		39,500
24,0	X		3,551	90,0	X		49,940
25,0	X	X	3,853	100,0	X		62,800
26,0	X		4,170				




EDELSTAHL 1.4301 GEWALZT RUND
EN10060/EN10088

mm	6 mtr	kg/mtr	mm	6 mtr	kg/mtr
80,0	X	39,500	140,0	X	121,000
90,0	X	49,940	150,0	X	139,000
100,0	X	62,800	160,0	X	161,000
120,0	X	88,800	180,0	X	200,000
125,0	X	96,000	200,0	X	251,000
130,0	X	104,000			




EDELSTAHL 1.4301 GESCHLIFFEN K240 RUND
EN10278/EN10088

mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
8,0	X	X	0,400	15,0	X	X	1,387
10,0	X	X	0,617	16,0	X	X	1,578
12,0	X	X	0,888	20,0	X	X	2,470
14,0	X	X	1,208				




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

EDELSTAHL 1.4305 GEZOGEN RUND EN10278/EN10088




mm	3 mtr	kg/mtr	mm	3 mtr	kg/mtr
5,0	X	0,154	28,0	X	4,834
6,0	X	0,222	30,0	X	5,550
8,0	X	0,400	32,0	X	6,310
10,0	X	0,620	35,0	X	7,550
12,0	X	0,890	40,0	X	9,870
14,0	X	1,208	45,0	X	12,490
15,0	X	1,390	50,0	X	15,700
16,0	X	1,580	55,0	X	18,650
18,0	X	2,000	60,0	X	22,200
20,0	X	2,470	70,0	X	30,210
22,0	X	2,984	80,0	X	39,460
24,0	X	3,551	90,0	X	49,940
25,0	X	3,850	100,0	X	62,800
26,0	X	4,170			

EDELSTAHL 1.4571 GEZOGEN RUND EN10278/EN10088




mm	3 mtr	kg/mtr	mm	3 mtr	kg/mtr
8,0	X	0,400	30,0	X	5,549
10,0	X	0,620	35,0	X	7,553
12,0	X	0,890	40,0	X	9,870
15,0	X	1,390	45,0	X	12,490
16,0	X	1,580	50,0	X	15,700
18,0	X	2,000	60,0	X	22,200
20,0	X	2,470	70,0	X	30,210
25,0	X	3,850	80,0	X	39,500

EDELSTAHL 1.4301 GEZOGEN VIERKANT EN10278/EN10088



mm	3 mtr	kg/mtr	mm	3 mtr	kg/mtr
6,0	X	0,283	20,0	X	3,140
8,0	X	0,502	25,0	X	5,200
10,0	X	0,785	30,0	X	7,070
12,0	X	1,130	35,0	X	9,620
14,0	X	1,540	40,0	X	12,560
15,0	X	1,766	50,0	X	20,000
16,0	X	2,010	60,0	X	28,800

EDELSTAHL 1.4301 GEZOGEN + GESCHLIFFEN VIERKANT K240 EN10278/EN10088




mm	3 mtr	kg/mtr	mm	3 mtr	kg/mtr
10,0	X	0,790	15,0	X	1,770
12,0	X	1,130	20,0	X	3,140

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

EDELSTAHL 1.4305 GEZOGEN VIERKANT
EN10278/EN10088

mm	3 mtr	kg/mtr
10,0	X	0,785
12,0	X	1,130
15,0	X	1,766
20,0	X	3,140


mm	3 mtr	kg/mtr
25,0	X	5,200
30,0	X	7,070
40,0	X	12,560



EDELSTAHL 1.4301 GEZOGEN SECHSKANT
EN10278/EN10088

mm	3 mtr	kg/mtr
8,0	X	0,450
10,0	X	0,683
12,0	X	0,980
13,0	X	1,150
14,0	X	1,330


mm	3 mtr	kg/mtr
17,0	X	1,970
19,0	X	2,480
22,0	X	3,290
24,0	X	3,940
27,0	X	4,960



EDELSTAHL 1.4301 GEWALZT U-PROFIL
DIN 1026/EN10088

mm	mm	mm	mm	6 mtr	kg/mtr
40,0	20,0	3	3	X	1,800
60,0	30,0	6	6	X	5,100
80,0	40,0	5	5	X	5,940


mm	mm	mm	mm	6 mtr	kg/mtr
100,0	50,0	6	6	X	8,940
150,0	75,0	9	9	X	20,000



EDELSTAHL 1.4301 WARMGEWALZT WINKEL GLEICHSCH.
DIN 1028/EN10088

mm	mm	mm	6 mtr	kg/mtr
15,0	15,0	3	X	0,707
20,0	20,0	3	X	0,880
25,0	25,0	3	X	1,120
30,0	30,0	3	X	1,360
30,0	30,0	4	X	1,780
35,0	35,0	4	X	2,100
40,0	40,0	4	X	2,420
40,0	40,0	5	X	2,970


mm	mm	mm	6 mtr	kg/mtr
45,0	45,0	5	X	3,340
50,0	50,0	5	X	3,770
50,0	50,0	6	X	4,470
60,0	60,0	6	X	5,420
70,0	70,0	7	X	7,470
80,0	80,0	8	X	9,660
100,0	100,0	10	X	15,100



EDELSTAHL 1.4301 WARMGEWALZT WINKEL UNGLEICHSCH.
DIN 1028/EN10088

mm	mm	mm	6 mtr	kg/mtr
40,0	20,0	4	X	1,800
50,0	30,0	5	X	2,950
60,0	30,0	5	X	3,370

mm	mm	mm	6 mtr	kg/mtr
60,0	40,0	5	X	3,730
80,0	40,0	6	X	5,410
100,0	50,0	6	X	6,800




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

EDELSTAHL 1.4301 WARMGEWALZT WINKEL GESCHL. K240 DIN 1028/EN10088




mm	mm	mm	6 mtr	kg/mtr
25,0	25,0	3	X	1,120
30,0	30,0	3	X	1,360
40,0	40,0	4	X	2,420
50,0	50,0	5	X	3,770
60,0	60,0	6	X	5,420

EDELSTAHL 1.4301 QUADRATROHR ROH EN10088



mm	mm	mm	6 mtr	kg/mtr	mm	mm	mm	6 mtr	kg/mtr
15,0	15,0	1,5	X	0,676	60,0	60,0	3	X	5,634
20,0	20,0	2	X	1,202	60,0	60,0	4	X	7,412
25,0	25,0	2	X	1,527	60,0	60,0	5	X	9,140
30,0	30,0	2	X	1,853	70,0	70,0	3	X	6,611
30,0	30,0	3	X	2,704	80,0	80,0	2	X	5,108
35,0	35,0	2	X	2,178	80,0	80,0	3	X	7,587
40,0	40,0	2	X	2,504	80,0	80,0	4	X	10,016
40,0	40,0	3	X	3,681	80,0	80,0	5	X	12,395
40,0	40,0	4	X	4,808	100,0	100,0	2	X	6,410
45,0	45,0	2	X	2,830	100,0	100,0	3	X	9,540
50,0	50,0	2	X	3,155	100,0	100,0	4	X	12,620
50,0	50,0	3	X	4,657	100,0	100,0	5	X	15,650
50,0	50,0	4	X	6,110	120,0	120,0	3	X	11,493
50,0	50,0	5	X	7,512	120,0	120,0	4	X	15,224
60,0	60,0	2	X	3,806					

EDELSTAHL 1.4301 QUADRATROHR GESCHLIFFEN K240 EN10088




mm	mm	mm	6 mtr	kg/mtr	mm	mm	mm	6 mtr	kg/mtr
15,0	15,0	1,5	X	0,676	60,0	60,0	2	X	3,800
20,0	20,0	2	X	1,200	60,0	60,0	3	X	5,634
25,0	25,0	2	X	1,527	60,0	60,0	4	X	7,412
30,0	30,0	2	X	1,853	80,0	80,0	2	X	5,108
30,0	30,0	3	X	2,704	80,0	80,0	3	X	7,587
35,0	35,0	2	X	2,178	100,0	100,0	2	X	6,410
40,0	40,0	2	X	2,504	100,0	100,0	3	X	9,540
40,0	40,0	3	X	3,681	100,0	100,0	4	X	12,620
50,0	50,0	2	X	3,160	120,0	120,0	3	X	11,500
50,0	50,0	3	X	4,657					

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


EDELSTAHL 1.4301 RECHTECKROHR ROH
EN 10088

mm	mm	mm	6 mtr	kg/mtr	mm	mm	mm	6 mtr	kg/mtr
20,0	10,0	1,5	X	0,676	60,0	40,0	3	X	4,657
25,0	10,0	1,5	X	0,798	60,0	40,0	4	X	6,110
25,0	15,0	1,5	X	0,920	80,0	20,0	2	X	3,155
30,0	10,0	1,5	X	0,920	80,0	40,0	2	X	3,806
30,0	15,0	1,5	X	1,042	80,0	40,0	3	X	5,634
30,0	15,0	2	X	1,365	80,0	40,0	4	X	7,412
30,0	20,0	2	X	1,527	80,0	50,0	3	X	6,122
40,0	15,0	1,5	X	1,286	80,0	60,0	3	X	6,611
40,0	20,0	2	X	1,853	100,0	40,0	2	X	4,457
40,0	30,0	2	X	2,178	100,0	40,0	3	X	6,611
50,0	20,0	2	X	2,178	100,0	50,0	2	X	4,783
50,0	25,0	2	X	2,341	100,0	50,0	3	X	7,099
50,0	30,0	2	X	2,504	100,0	50,0	4	X	9,365
50,0	30,0	3	X	3,681	100,0	60,0	3	X	7,587
50,0	40,0	2	X	2,830	100,0	60,0	4	X	10,016
60,0	20,0	2	X	2,504	120,0	40,0	2	X	5,108
60,0	30,0	2	X	2,830	120,0	40,0	3	X	7,587
60,0	30,0	3	X	4,169	120,0	60,0	3	X	8,564
60,0	40,0	2	X	3,155	120,0	60,0	4	X	11,318




EDELSTAHL 1.4301 RECHTECKROHR GESCHLIFFEN K240
EN ISO 1127/EN10088

mm	mm	mm	6 mtr	kg/mtr	mm	mm	mm	6 mtr	kg/mtr
30,0	15,0	1,5	X	1,042	60,0	40,0	2	X	3,155
30,0	15,0	2	X	1,365	60,0	40,0	3	X	4,657
30,0	20,0	2	X	1,527	80,0	40,0	2	X	3,806
40,0	15,0	1,5	X	1,286	80,0	40,0	3	X	5,634
40,0	20,0	2	X	1,853	80,0	50,0	3	X	6,120
40,0	30,0	2	X	2,178	80,0	60,0	3	X	6,611
50,0	20,0	2	X	2,178	100,0	40,0	2	X	4,457
50,0	30,0	2	X	2,504	100,0	40,0	3	X	6,611
50,0	30,0	3	X	3,681	100,0	50,0	2	X	4,783
60,0	20,0	2	X	2,504	100,0	50,0	3	X	7,099
60,0	30,0	2	X	2,830	100,0	60,0	3	X	7,587
60,0	30,0	3	X	4,169	120,0	60,0	3	X	8,564




EDELSTAHL 1.4301 RUNDROHR GESCHLIFFEN K240 + GEGLÜHT
EN10217/EN10088

mm	mm	6 mtr	kg/mtr
26,9	2,0	X	1,247
33,7	2,0	X	1,588
42,4	2,0	X	2,030




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

EDELSTAHL 1.4301 RUNDROHR HF/TIG GESCHW. ROH EN ISO 1127/EN10088



mm	mm	6 mtr	kg/mtr	mm	mm	6 mtr	kg/mtr
6,0	1,0	X	0,130	60,3	2,0	X	2,920
8,0	1,0	X	0,175	60,3	2,5	X	3,620
20,0	2,0	X	0,900	60,3	3,0	X	4,300
21,3	2,0	X	0,967	60,3	4,0	X	5,639
21,3	2,5	X	1,177	70,0	2,0	X	3,405
25,0	2,0	X	1,160	76,1	2,0	X	3,711
26,9	2,0	X	1,247	76,1	3,0	X	5,490
26,9	2,5	X	1,527	80,0	2,0	X	3,906
30,0	2,0	X	1,402	88,9	2,0	X	4,352
30,0	3,0	X	2,030	88,9	3,0	X	6,453
33,7	2,0	X	1,588	101,6	2,0	X	4,988
33,7	2,5	X	2,025	101,6	3,0	X	7,407
33,7	3,0	X	2,306	104,0	2,0	X	5,108
40,0	2,0	X	1,903	108,0	2,0	X	5,330
40,0	3,0	X	2,779	114,3	2,0	X	5,624
42,4	2,0	X	2,023	114,3	3,0	X	8,361
42,4	2,5	X	2,591	139,7	2,0	X	6,896
42,4	3,0	X	3,141	139,7	3,0	X	10,269
48,3	2,0	X	2,319	154,0	2,0	X	7,612
48,3	2,5	X	2,975	168,3	2,0	X	8,328
48,3	3,0	X	3,403	168,3	3,0	X	12,417
50,0	2,0	X	2,404	204,0	2,0	X	10,150
54,0	2,0	X	2,604	219,1	3,0	X	16,233

EDELSTAHL 1.4301 RUNDROHR HF GESCHW. + GESCHL. K240 EN ISO 1127/EN10088



mm	mm	6 mtr	kg/mtr	mm	mm	6 mtr	kg/mtr
10,0	1,5	X	0,319	38,0	2,0	X	1,803
12,0	1,5	X	0,394	40,0	2,0	X	1,903
14,0	1,5	X	0,470	42,4	2,0	X	2,030
15,0	1,5	X	0,509	42,4	2,5	X	2,498
16,0	1,0	X	0,370	42,4	3,0	X	2,960
16,0	1,5	X	0,545	48,3	2,0	X	2,319
16,0	2,0	X	0,701	48,3	2,5	X	2,867
17,2	2,0	X	0,761	48,3	3,0	X	3,403
18,0	1,5	X	0,620	50,0	2,0	X	2,404
20,0	1,5	X	0,695	54,0	2,0	X	2,600
20,0	2,0	X	0,901	60,3	2,0	X	2,920
21,3	2,5	X	0,967	60,3	3,0	X	4,300
25,0	2,0	X	1,152	76,1	2,0	X	3,711
26,9	2,5	X	1,247	76,1	3,0	X	5,490
26,9	2,5	X	1,527	88,9	2,0	X	4,352
30,0	2,0	X	1,402	88,9	3,0	X	6,453
33,7	2,0	X	1,588	101,6	2,0	X	4,988
33,7	2,5	X	1,953	101,6	3,0	X	7,407
33,7	3,0	X	2,306	114,3	2,0	X	5,624
35,0	2,0	X	1,653	114,3	3,0	X	8,361

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

EDELSTAHLBLECH 1.4301 2B (IIIC)
EN10028/EN10088

Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.
0,5	8,000		
0,6	9,600	15,000	
0,7	11,200		
0,8	12,800	20,000	28,800
1,0	16,000	25,000	36,000
1,2	20,000	31,500	45,000
1,5	24,000	38,000	54,000
2,0	32,000	50,000	72,000
2,5	40,000	62,500	90,000
3,0	48,000	75,000	108,000
4,0	64,000	100,000	144,000
5,0	80,000	125,000	180,000
6,0	96,000	150,000	216,000




EDELSTAHLBLECH 1.4301 2B (IIIC) EINSEITIG FOLIERT
EN10028/EN10088

Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.
1,0	16,000	25,000	36,000
1,5	24,000	37,500	54,000
2,0	32,000	50,000	72,000
3,0	48,000	75,000	108,000




EDELSTAHLBLECH 1.4301 2B (IIIC)
EINSEITIG GESCHLIFFEN K240 + FOLIERT
EN10028/EN10088

Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.
0,8	12,800	20,000	
1,0	16,000	25,000	36,000
1,5	24,000	37,500	54,000
2,0	32,000	50,000	72,000
3,0	48,000	75,000	108,000
4,0	64,000	100,000	144,000
5,0	80,000	125,000	180,000



EDELSTAHLBLECH 1.4301 2B (IIIC)
EINSEITIG GEBEIZT+ FOLIERT (DUPLOSCHLIFF)
EN10028/EN10088

Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.
0,8	12,800	20,000	
1,0	16,000	25,000	36,000
1,5	24,000	37,500	54,000
2,0	32,000	50,000	72,000
3,0	48,000	75,000	108,000



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ EDELSTAHLBLECH 1.4301 1D (IIA) EN10028/EN10088




Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.
3,0	48,000	75,000	108,000
4,0	64,000	100,000	144,000
5,0	80,000	125,000	182,000
6,0	96,000	152,000	216,000
8,0	128,000	200,000	292,000
10,0	160,000	253,000	360,000
12,0	202,000	310,000	443,000
15,0	245,000	390,000	545,000
20,0	320,000	517,000	740,000

■ EDELSTAHLBLECH 1.4571 2B (IIIC) EN10028/EN10088



Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.
1,0	16,000	25,000	36,000
1,5	24,000	37,500	54,000
2,0	32,000	50,000	72,000
3,0	48,000	75,000	108,000
4,0	64,000	100,000	144,000
5,0	80,000	125,000	180,000

■ EDELSTAHL 1.4301 TRÄNENBLECH „MANDORLA“ EN10204/EN10088



Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.	1250 x 3000 mm kg/Tfl.
3,0	54,000	86,000	135,000	102,000
4,0	70,000	113,000	169,000	
5,0	84,000	131,000	199,000	
6,0	105,000	155,000	235,000	

■ EDELSTAHLBLECH 1.4301 2B (IIIC) BEIDSEITIG GEBEIZT + FOLIERT (DUPLOSCHLIFF)



Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.
1,5	24,000	38,000	54,000
2,0	32,000	50,000	72,000

■ EDELSTAHLBLECH 1.4301 2B (IIIC) BEIDSEITIG GESCHLIFFEN+ K240 FOLIERT



Stärke mm	1000 x 2000 mm kg/Tfl.	1250 x 2500 mm kg/Tfl.	1500 x 3000 mm kg/Tfl.
1,5	24,000	38,000	54,000
2,0	32,000	50,000	72,000

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.